

Filterless enclosure air conditioner




Description

Order Number:	42690001
Brand Name:	SLIMLINE
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	TYPE 12
Approvals:	CE / cURus


Technical data

Cooling capacity 95F/95F:	1770 BTU
Cooling capacity 95F/122F:	610 BTU
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	142 g / 5 oz
High / low pressure:	35 / 30 bar 290 / 188 psig
Operating temperature range:	50°F - 122°F
Air volume flow (system / unimpeded):	Ambient air circuit: 147 / 383 cfm Cabinet air circuit: 74 / 147 cfm
Mounting:	Wall mounted / Recessed
Dimension H x W x D:	23.6 x 12.6 x 4.3 inch
Weight:	35 lbs.
Cut out dimensions:	22.9 x 11.85 inch
Voltage / Frequency:	230 V ~ 50/60 Hz
UL Voltage / Frequency:	230 V ~ 60 Hz
Current 95F95F:	2.4 A @ 50 Hz 2.6 A @ 60 Hz
Starting current:	5.8 A
Max. current:	2.8 A
Nominal power 95F95F:	480 W @ 50 Hz 490 W @ 60 Hz
Max. power:	560 W
Fuse:	6 A (T)
Short-circuit current rating:	5 kA
Rated current compressor:	5.2 A
Full load current fans:	2.8 A
Connection:	Connection terminal block


Performance graph:



Air flow:



Cut out dimensions:



Order Information

Verpackungsmaße	680 x 400 x 155 mm
Verpackungsmaße	18.5 kg
Taric code	84158200
GTIN (EAN)	5350604370395